



BLADE 3

SUPPLE AND LIGHTWEIGHT WITH CUT RESISTANCE AND PU PALM

Offers dexterity and comfort with good resistance to cuts, rips and punctures. The thin polyurethane coating allows components and materials to be handled precisely.

FEATURES

- » Supple and lightweight.
- » Level 3 cut resistance (EN388) Level B EN388:2016
- » Extremely durable.
- » Offers outstanding flexibility with a tactile touch.
- » Excellent grip in both dry and damp environments.
- Anatomically designed for comfort, dexterity and fit.
- » Coated with polyurethane on palm up to fingers.
- » Sanitized® antimicrobial finish provides extra freshness
- » Reinforced Nitrile thumb-line enhances durability.



SUITABLE FOR

Typical Industries

- » Aerospace
- » Automotive
- » Construction
- » Engineering
- » Glass
- » Manufacturing

Applications

- » Bottling or Canning
- » Component Assembly
- » Packaging
- » Second Fix
- » Warehousing and
- » Distribution







BLADE 3

CERTIFICATION

EN388: 2016





PRODUCT INFORMATION

COATING MATERIAL	PU	FINISHING	Foamed	
COATING COLOR	Grey	CUFF STYLE	Knit wrist	
LINER	UHMWPE	GAUGE	13	
LINER COLOR	Salt/Pepper	SIZES	6,7,8,9,10,11	
REINFORCEMENT	Nitrile			

CERTIFICATION LEGENDS



PERFORMANCE LEVELS

0-4 Abrasion Resistance

0-5 Blade Cut Resistance

0-4 Tear Resistance


0-4 Puncture Resistance

A-F Straight Blade Cut Resistance (EN ISO:13997)

Remark: "X" stands for "No necessary test made"







BLADE 3

DIMENSIONS (+/- 0.50 CM)

SIZES AVAILABLE	(6) X Small	(7) Small	(8) Medium	(9) Large	(10) X Large	(11) 2X Large
PALM WIDTH	8.50	9.00	9.50	10.00	10.50	11.00
LENGTH	22.00	23.00	24.00	25.00	26.00	27.00

ORDERING DETAILS

POLY BAG	12 pairs with 1 consumer information sheet
CARTON	120 pairs


GLOVE CARE

LAUNDERING	Wash at 40°C max and machine washing available.
STORAGE	Store the gloves in their original packaging protected from light and humidity

RECOMMENDATION FOR USE

- » It is cut resistant glove not cut proof, do not use them next to moving machinery.
- » Do not use in cases of cut, electrical or thermal risk

ABOUT ARAGOON



www.aragoon.com.au

(@) info@aragoon.com.au

+61 415 251 119

Q UAE - DUBAI

www.aragoon.com.au

info@aragoon.com.au

+971 503 242 474

