



BLADE 5

HIGH PERFORMANCE, REINFORCED CROTCH PU PALM, CUT LEVEL 5

A durable glove providing maximum resistance to cuts and protection when handling sharp, slippery objects such as glass and metal.

FEATURES

- » Level 5 cut resistance (EN388) Cut level C EN388:2016.
- » Special "Wet" formulation of foamed PU offering excellent grip.
- » High levels of flexibility and dexterity.
- » Advanced PU coating & UHMWPE/Glass Flexible Liner.
- » Lightweight 13 gauge liner and enhanced protective padding.
- » Reinforced Nitrile thumb-line enhances durability.
- » Ergonomic and super flexibility minimizing hand fatigue.
- » Elasticated wrist provides a secure fit.
- » Seamless liner prevents irritation.
- » Multi-washable and cut level remains.



SUITABLE FOR

Typical Industries

- » Automotive
- » Construction
- » Engineering
- » Glass
- » Manufacturing
- » Metal
- » Transport

Applications

- » Bottling/Canning
- » Metal Fabrication
- » Scaffolding







BLADE 5

CERTIFICATION

EN388: 2016





PRODUCT INFORMATION

COATING MATERIAL	PU	FINISHING	Foamed
COATING COLOR	Grey	CUFF STYLE	Knit wrist
LINER	UHMWPE/Glass	GAUGE	13
LINER COLOR	Salt/Pepper	SIZES	6,7,8,9,10,11
REINFORCEMENT	Nitrile		

CERTIFICATION LEGENDS



PERFORMANCE LEVELS

- 0-4 Abrasion Resistance
- 0-5 Blade Cut Resistance
- 0-4 Tear Resistance
- 0-4 Puncture Resistance
- A-F Straight Blade Cut Resistance (EN ISO:13997)

Remark: "X" stands for "No necessary test made"







BLADE 5

DIMENSIONS (+/- 0.50 CM)

SIZES AVAILABLE	(6) X Small	(7) Small	(8) Medium	(9) Large	(10) X Large	(11) 2X Large
PALM WIDTH	8.50	9.00	9.50	10.00	10.50	11.00
LENGTH	22.00	23.00	24.00	25.00	26.00	27.00

ORDERING DETAILS

POLY BAG	12 pairs with 1 consumer information sheet
CARTON	120 pairs

GLOVE CARE

LAUNDERING	Wash at 40°C max and machine washing available.
STORAGE	Store the gloves in their original packaging protected from light and humidity

RECOMMENDATION FOR USE

- » It is cut resistant glove not cut proof, do not use them next to moving machinery.
- » Do not use in cases of cut, electrical or thermal risk

ABOUT ARAGOON



www.aragoon.com.au

(@) info@aragoon.com.au

+61 415 251 119

Q UAE - DUBAI

www.aragoon.com.au

info@aragoon.com.au

+971 503 242 474

