



HANDY

NITRILE FOAM PALM WITH 3D MOISTUREVAP BREATHABILITY

Excellent resistance to abrasion. Outstanding durability and grip.

FEATURES

- » Level 4 abrasion resistance (EN388:2016).
- » Superior comfort and dexterity.
- » Anatomically engineered for maximum fit.
- » Excellent grip in both wet and dry environments.
- » An Oeko-Tex[™] certified product.
- » Seamless nylon/spandex liner.
- » Patented nitrile foam palm coating enhances protection.
- » Sanitized[®] antimicrobial finish provides extra freshness.



SUITABLE FOR

Typical Industries

- » Automotive
- » Logistics
- » Maintenance
- » Manufacturing
- » Oil and Gas
- » Utilities

Applications

- » Assembly
- » Goods Handling
- » Light Fabrication
- » Quality Inspection
- » Warehousing







HANDY

CERTIFICATION











PRODUCT INFORMATION

COATING MATERIAL	Nitrile	FINISHING	Sandy
COATING COLOR	Black	CUFF STYLE	Knit wrist
LINER	Spandex/Nylon	GAUGE	15
LINER COLOR	Grey	SIZES	5,6,7,8,9,10,11.12

CERTIFICATION LEGENDS



MECHANICAL HAZARDS EN 388

PERFORMANCE LEVELS

- 0-4 Abrasion Resistance
- 0-5 Blade Cut Resistance
- 0-4 Tear Resistance
- 0-4 Puncture Resistance
- A-F Straight Blade Cut Resistance (EN ISO:13997)

Remark: "X" stands for "No necessary test made"







HANDY

DIMENSIONS (+/- 0.50 CM)

SIZES AVAILABLE	(5) 2X Small	(6) X Small	(7) Small	(8) Medium	(9) Large	(10) X Large	(11) 2X Large	(12) 3X Large
PALM WIDTH	8.00	8.50	9.00	9.50	10.00	10.50	11.00	11.50
LENGTH	21.00	22.00	23.00	24.00	25.00	26.00	27.00	28.00

ORDERING DETAILS		
POLY BAG	12 pairs with 1 consumer information sheet	
CARTON	120 pairs	

GLOVE CARE	
LAUNDERING	Wash at 40°C max and machine washing available.
STORAGE	Store the gloves in their original packaging protected from light and humidity

RECOMMENDATION FOR USE

» Do not use in cases of cut, electrical or thermal risk

ABOUT ARAGOON

- **Q** AUSTRALIA SYDNEY
- www.aragoon.com.au
- (@ info@aragoon.com.au
- +61 415 251 119
- UAE DUBAI
 www.aragoon.com.au
 info@aragoon.com.au
- **•** +971 503 242 474

